PRACTICE PROBLEMS: GRAPH THEORY

"If you're walking down the right path and you're willing to keep walking, eventually you'll make progress." — Barack Obama

Course: CS 5002 Fall 2018 Due: No due date

OBJECTIVES

After you complete this assignment, you will be comfortable with:

- Graph representations
- Graph traversals
- Djikstra's Algorithm

Problem 1: General graphs (10 points)

RELEVANT READING

- Rosen, chapter 7: Graphs
 - Chapter 10.1. Graphs and Graph Models
 - Chapter 10.2 Graph Terminology and Special Types of Graphs
 - Chapter 10.3 Representing Graphs and Graph Isomorphis,
 - Chapter 10.6 Shortest-Path Problems
- (a) (4 points) Given an adjacency-list representation of a directed graph, how long does it take to compute the out-degree of every vertex? How long does it take to compute the in-degrees? Give a short description or explanation for each.

(b) (6 points) Give an adjacency-list representation for a complete binary tree on 7 vertices. Then, give an equivalent adjacency-matrix representation. Assume that vertices are numbered from 1 to 7, starting at the top and numbering the nodes left to right at each level.

Problem 2: DFS (5 points)

Assume a graph G that contains a path from u to v, and u.depth < v.depth (that is, the depth of u is less than the depth of v) in a depth-first search of G. I propose that v is a descendant of u in the traversal produced using depth-first algorithm. Provide a counter-example.

Problem 3: BFS (5 points)

What is the running time of BFS if the graph is represented by an adjacency matrix? Assume the traversal algorithm is modified as necessary to handle the matrix rather than the lists.

Problem 4: White Hats, Black Hats (15 points)

In the world of politics, there are two kinds of politicians: "white hats" (good guys) and "black hats" (bad guys). Let's assume that we don't really care about which party a politician is a part of for now. But, between any pair of


Points: _____ out of 31

politicians, there may or may not debate. Suppose we have a list of n politicians, and a list of r pairs of politicians that have a debate. Give an algorithm that determines whether it is possible to specify some politicians as white hat, and the rest as black hat, such that each debate is between a white hat and a black hat.

If it is possible to do this determination, your algorithm should produce it. The algorithm should run in O(n+r) time.

Problem 5: Graph Arithmetic (10 points)

Consider representing an arithmetic expression as a tree. Each leaf is a number (integer), and each internal node is an arithmetical operations (+, -, *, /). For example, the expression 3 * 4/5 + 2 + (3 * 4) is represented by the following tree:



Give an O(n) algorithm for evaluating such an expression, where there are n nodes in the tree. In your solution, provide a 1-2 sentence summary of your algorithm, and then provide psuedocode for your algorithm.

Problem 6: Communication Networks (5 points)

One usage case for a graph is to use it to model communication networks. In all electronic communication networks, there is some probability that a message between node a and node b will fail— that is, the message won't successfully make it to node b.

Give an efficient algorithm that produces the most reliable path between two given vertices.

You are given a directed graph G = (V, E). Each edge $(u, v) \in E$ has an associated value, p(u, v) such that $0 \le p(u, v) \le 1$ and represents the probability of a successful transmission between u and v. Assume that all of these probabilities are independent.

Note: If event A is independent of event B, and event A happens with p(A) probability, and event B happens with p(B) probability, the probability that both event A and B happen is $p(A) \cdot p(B)$.

Give a short summary of your algorithm approach, psuedocode for the algorithm, and an estimate of the run time.

Practice Problems: Graph Theory

| Question | Points | Score |
|------------------------|--------|-------|
| General graphs | 10 | |
| DFS | 5 | |
| BFS | 5 | |
| White Hats, Black Hats | 15 | |
| Graph Arithmetic | 10 | |
| Communication Networks | 5 | |
| Total: | 50 | |