

The Relational Data Model


(ALL the Vocabulary)

Lecture 2



A Quick Reminder

- One of the key features of a DBMS is use of data models to support “data independence”
 - The conceptual representation is independent of underlying storage and/or operation implementation



Outline

1. Model Concepts
2. Model Constraints
3. Data Modification and Constraint Violation
4. Transactions



The Relational Model

Codd, Edgar F. "A relational model of data for large shared data banks." *Communications of the ACM* 13.6 (1970): 377-387.

“Future users of large data banks must be protected from having to know how the data is organized in the machine (the internal representation)... Activities of users at terminals and most application programs should remain unaffected when the internal representation of data is changed and even when some aspects of the external representation are changed...”



Motivation

- A **formal** mathematical basis for databases
 - Set theory and first-order predicate logic
 - Allows scientists to advance theoretically
- A foundation for efficient and usable database management systems
 - Allows companies/developers to advance end-user products
- Note: some aspects of the model are not adhered to by modern RDBMSs




Relational Database

A database consists of...

- i. a set of ***relations*** (tables)
- ii. a set of ***integrity constraints***

Pop Quiz:
What is a **set**?

A database is in a **valid state** if it satisfies all integrity constraints (else **invalid state**)



A Relation

A relation consists of...

- i. its ***schema***, describing structure
- ii. its ***state***, or current populated data

Schema	{	STUDENT					
		Name	<u>SSN</u>	Phone	Address	Age	GPA
State	{	Ben Bayer	305-61-2435	555-1234	1 Foo Lane	19	3.21
		Chung-cha Kim	422-11-2320	555-9876	2 Bar Court	25	3.53
		Barbara Benson	533-69-1238	555-6758	3 Baz Blvd	19	3.25



Relational Schema

- Relation name
STUDENT
- Ordered list of n **attributes** (columns; degree n or n -ary)
Each with a corresponding **domain** (set of valid **atomic** values)
 - $\text{dom}(\text{SSN}) = \text{"###-##-####"}$
 - $\text{dom}(\text{GPA}) = [0, 4]$
- Notation: $\text{NAME}(A_1, A_2, \dots, A_n)$
STUDENT(Name, SSN, Phone, Address, Age, GPA)

What is the degree
of STUDENT?

STUDENT

Name	<u>SSN</u>	Phone	Address	Age	GPA
------	------------	-------	---------	-----	-----



Relation State

- A set of *n*-**tuples** (rows)
 - Each has a value in the domain of every corresponding attribute (or **NULL**)
 - Notation: $r(\text{NAME})$
- Mathematically, a subset of the Cartesian product of the attribute domains; related to the closed-world assumption

$$r(STUDENT) \subseteq (dom(Name) \times dom(SSN) \times \dots dom(GPA))$$

Ben Bayer	305-61-2435	555-1234	1 Foo Lane	19	3.21
Chung-cha Kim	422-11-2320	555-9876	2 Bar Court	25	3.53
Barbara Benson	533-69-1238	555-6758	3 Baz Blvd	19	3.25



Exercise

Diagrammatically produce a relation HAT according to the following schema; the relation state should have at least three tuples

HAT(Team, Size, Color)

- $\text{dom}(\text{Team}) = \{ \text{RedSox, Bruins, Celtics, Patriots, Revolution} \}$
- $\text{dom}(\text{Size}) = \{ \text{S, M, L, XL} \}$
- $\text{dom}(\text{Color}) = \{ \text{Black, Blue, White, Red, Green, Yellow} \}$

How many tuples are possible in this relation?



Answer

HAT

Team	Size	Color
RedSox	M	Red
Revolution	S	White
Bruins	XL	Yellow

$$|dom(Team)| \times |dom(Size)| \times |dom(Color)|$$
$$5 \times 4 \times 6$$
$$120$$




Tuples: Theory vs. Implementation

- Relation state is formally defined as a *set* of tuples, implying...
 - No inherent order
 - No duplicates
- In real database systems, the rows on disk will have an ordering, but the relation definition sets no preference as to this ordering
 - We will discuss later in physical design how to establish an ordering to improve query efficiency
- Additionally, real database systems implement a *bag* of tuples, allowing duplicate rows



NULL



- **NULL** is a special value that may be in the attribute domain
- Several possible meanings
 - E.g. unknown, not available, does not apply, undefined, ...
- Best to avoid
 - Else deal with caution




Value Structure in Tuples

- Each value should be **atomic** – no *composite* or *multi-valued* attributes
 - Composite: “one column, many parts”
 - Multi-valued: “one column, multiple values”
- Convention called 1NF (*first normal form*)
 - More on this later in the course



Violation of 1NF: Composite



DORM	Dorm Info	
	<u>SSN</u>	Room
	305-61-2435	555 Huntington 1
	422-11-2320	Baker 2
	533-69-1238	555 Huntington 3


vs.

DORM		
<u>SSN</u>	Dorm	Room
305-61-2435	555 Huntington	1
422-11-2320	Baker	2
533-69-1238	555 Huntington	3



Violation of 1NF: Multi-Valued

CLASS



<u>SSN</u>	<u>Class</u>
305-61-2435	COMP355, MATH 650
422-11-2320	COMP355, BIOL110
533-69-1238	MATH650

vs.

CLASS

<u>SSN</u>	<u>Class</u>
305-61-2435	COMP355
422-11-2320	COMP355
533-69-1238	MATH650
305-61-2435	MATH650
422-11-2320	BIOL110



Model Constraints

Categories of restrictions on data in a relational database

1. Inherent in the data model (implicit)
- ➡ 2. Schema-based (explicit)
3. Application-based (or triggers/assertions)
4. Data dependencies

Relates to “goodness” of database design;
we will revisit in normalization



Schema-Based Constraints

Can be directly expressed in schemas of the data model, typically by specifying them in the **DDL** (Data Definition Language)

- Domain
- Key
- Entity integrity
- Referential integrity



Domain Constraints

Within each tuple, the value of each attribute A must be an atomic value from the domain $\text{dom}(A)$

Schema must dictate whether or not a NULL value is allowed for each attribute

$$NULL \overset{?}{\in} \text{dom}(A)$$

More later on standard data types in SQL



Key Constraints

A **key** is a set of attribute(s) satisfying two properties:

1. Two distinct tuples in any state of the relation cannot have identical values for all the attributes of the key (**superkey**)
2. No attribute can be removed from the key and still have #1 hold (**minimal superkey**)

A relation may have multiple keys (each is a **candidate key**). Relations commonly have a **primary key** (underlined, PK; typically small number of attributes, used to *identify* tuples), and may also have some number of additional **unique key(s)**.



Exercise

Is the following a valid state of DOCTOR?

DOCTOR

Number	<u>First</u>	Last
1	William	Hartnell
2	Patrick	Troughton
3	Jon	Pertwee
4	Tom	Baker
5	Peter	Davison
6	Colin	Baker
7	Sylvester	McCoy
8	Paul	McGann

9	Christopher	Eccleston
10	David	Tennant
11	Matt	Smith
12	Peter	Capaldi
13	Jodie	Whittaker



Answer

Is the following a ~~valid~~ state of DOCTOR?

DOCTOR

Number	<u>First</u>	Last
1	William	Hartnell
2	Patrick	Troughton
3	Jon	Pertwee
4	Tom	Baker
5	Peter	Davison
6	Colin	Baker
7	Sylvester	McCoy
8	Paul	McGann

9	Christopher	Eccleston
10	David	Tennant
11	Matt	Smith
12	Peter	Capaldi
13	Jodie	Whittaker

Underline = **primary key**

Req #1: Two distinct tuples cannot have identical values for all the attributes of the key – **NOT TRUE!**



Exercise

List all keys for the current state of DOCTOR.

DOCTOR

Number	<u>First</u>	Last
1	William	Hartnell
2	Patrick	Troughton
3	Jon	Pertwee
4	Tom	Baker
5	Peter	Davison
6	Colin	Baker
7	Sylvester	McCoy
8	Paul	McGann

9	Christopher	Eccleston
10	David	Tennant
11	Matt	Smith
12	Peter	Capaldi
13	Jodie	Whittaker



Answer

List all keys for the current state of DOCTOR.

DOCTOR

Number	<u>First</u>	Last
1	William	Hartnell
2	Patrick	Troughton
3	Jon	Pertwee
4	Tom	Baker
5	Peter	Davison
6	Colin	Baker
7	Sylvester	McCoy
8	Paul	McGann

9	Christopher	Eccleston
10	David	Tennant
11	Matt	Smith
12	Peter	Capaldi
13	Jodie	Whittaker

Candidate Key #1: { Number }

Candidate Key #2: { First, Last }

Why not { Last }, { Number, Last }?



Entity Integrity

In a tuple, no attribute that is part of the PK can be NULL

Basic justification: if PK is used to identify a tuple, then none of its component parts can be left unknown



Exercise

List all potential primary keys for the current state of DOCTOR.

DOCTOR

Number	First	Last
1	William	Hartnell
2	Patrick	Troughton
3	Jon	Pertwee
4	Tom	Baker
5	Peter	Davison
6	Colin	Baker
7	Sylvester	McCoy
8	Paul	McGann

9	Christopher	Eccleston
10	David	Tennant
11	Matt	Smith
12	Peter	Capaldi
13	Jodie	Whittaker
14	NULL	NULL



Answer

List all potential primary keys for the current state of DOCTOR.

DOCTOR

Number	First	Last
1	William	Hartnell
2	Patrick	Troughton
3	Jon	Pertwee
4	Tom	Baker
5	Peter	Davison
6	Colin	Baker
7	Sylvester	McCoy
8	Paul	McGann

9	Christopher	Eccleston
10	David	Tennant
11	Matt	Smith
12	Peter	Capaldi
13	Jodie	Whittaker
14	NULL	NULL

PK = { Number }



Referential Integrity

All tuples in relation R1 must reference an existing tuple in relation R2 (R1 *may* be the same as R2)

A **foreign key** (FK) in R1 references R2 iff...

- The attribute(s) in FK have the same domain(s) as the primary key attribute(s) PK of R2
- A value of FK in a tuple t1 either is NULL or occurs as a value of PK for some tuple t2 (t1 *refers to* t2)



Example

STUDENT

Name	<u>SSN</u>	Phone	Address	Age	GPA
------	------------	-------	---------	-----	-----

DORM


<u>SSN</u>	Dorm
------------	------

STUDENTOFTHEYEAR


<u>Year</u>	SSN
-------------	-----

CLASS

<u>SSN</u>	<u>Class</u>
------------	--------------




Exercise



Given the above relational schema, for which attribute(s) that refer to STUDENT(SSN), if any, is it permissible to have a value of NULL?




Answer



Given the above relational schema, for which attribute(s) that refer to STUDENT(SSN), if any, is it permissible to have a value of NULL?



Chinook



Data Modification Operations

The **DML** (Data Manipulation Language) affords us the following methods of modifying database state:

- **Insert.** Add a new tuple to a relation
- **Delete.** Remove a tuple from a relation
- **Update.** Change one or more attribute value(s) for a tuple within a relation

We now examine how these operations can violate various types of constraints and the resulting actions that can be taken



Insert

Domain

- An attribute value does not appear in the corresponding domain (including NULL)

Key

- A key value already exists in another tuple

Entity Integrity

- Any part of the primary key is NULL

Referential Integrity

- Any value of any foreign key refers to a tuple that does not exist in the referenced relation

Typical action: reject insertion



Delete

Referential Integrity

- Tuple being deleted is referenced by foreign keys from other tuples

Possible actions

- Reject deletion
- Cascade (propagate deletion)
- Set default/NULL referencing attribute values (careful with primary key)



Update

- If modifying neither part of primary key nor foreign key, need only check...
 - **Domain**
- Modifying primary key...
 - Like **Delete** then **Insert**
- Modifying foreign key...
 - Like **Insert**

Actions typically similar to **Delete** with separate options.



Transactions

A **transaction** is a sequence of database operations, including retrieval and update(s)

START

Read or write

Read or write

Read or write

...

COMMIT or ROLLBACK



Desirable Properties of Transactions

A **tomicity.** A transaction is an atomic unit of processing; it should either be performed in its entirety or not performed at all.

C **onsistency.** A transaction should be consistency preserving, meaning that if it is completely executed from beginning to end without interference from other transactions, it should take the database from one consistent state to another.

I **solation.** A transaction should appear as though it is being executed in isolation from other transactions, even though many transactions are executing concurrently. That is, the execution of a transaction should not be interfered with by any other transactions executing concurrently.

D **urability.** The changes applied to the database by a committed transaction must persist in the database. These changes must not be lost because of any failure.



Exercise

Classify each of the following statements with the best-matching property (ACID)

1. *For a balanced budget, incoming funds must always equal outgoing payments*
2. *Once a package is confirmed as received, it must be delivered*
3. *If there is an error in printing a picture at the photo booth, the customer should be refunded*
4. *Do not publish results while the jury is out*



Answer

1. *For a balanced budget, incoming funds must always equal outgoing payments*

Consistency

2. *Once a package is confirmed as received, it must be delivered*

Durability

3. *If there is an error in printing a picture at the photo booth, the customer should be refunded*

Atomicity

4. *Do not publish results while the jury is out*

Isolation



Summary

- The **relational model** dictates that a relational database consists of (i) a set of relations and (ii) a set of integrity constraints
 - All constraints met => database in a **valid** state
- A relation is composed of its **schema** (name; list of n attributes, each with its **domain**) and its **state**/data (set of n-**tuples**)
- Schema (or **explicit**) constraints, specified via **DDL**, include domain, key, entity integrity, and referential integrity
 - Data manipulation operations (insert, update, delete; via **DML**) can run awry of these constraints
- A **transaction** is a sequence of operations and **ACID**-compliant RDBMSs implement "proper" transaction processing
 - **A**tomicity, **C**onsistency, **I**solation, **D**urability

