CS6200 Information Retrieval

David Smith

College of Computer and Information Science

Northeastern University

IR and Search Engines

Information Retrieval

Relevance

-Effective ranking

Evaluation

-Testing and measuring

Information needs

-User interaction



Search Engines

Performance

-Efficient search and indexing

Incorporating new data

-Coverage and freshness

Scalability

-Growing with data and users

Adaptability

-Tuning for applications


Specific problems

-e.g. Spam


Search Engine Architecture

- A software architecture consists of software components, the interfaces provided by those components, and the relationships between them
 - describes a system at a particular level of abstraction
- Architecture of a search engine determined by 2 requirements
 - effectiveness (quality of results) and efficiency (response time and throughput)

Query Process



Indexing Process



Details: Text Acquisition

Crawler

- Identifies and acquires documents for search engine
- Many types web, enterprise, desktop
- Web crawlers follow links to find documents
 - Must efficiently find huge numbers of web pages (coverage) and keep them up-to-date (freshness)
 - Single site crawlers for site search
 - Topical or focused crawlers for vertical search
- Document crawlers for enterprise and desktop search
 - Follow links and scan directories

Text Acquisition

Feeds

- Real-time streams of documents
 - e.g., web feeds for news, blogs, video, radio, TV
- RSS is common standard
 - RSS "reader" can provide new XML documents to search engine


Conversion

- Convert variety of documents into a consistent text plus metadata format
 - e.g. HTML, XML, Word, PDF, etc. → XML
- Convert text encoding for different languages
 - Using a Unicode standard like UTF-8

Text Acquisition

- Document data store
 - Stores text, metadata, and other related content for documents
 - Metadata is information about document such as type and creation date
 - Other content includes links, anchor text
 - Provides fast access to document contents for search engine components
 - e.g. result list generation
 - Could use relational database system
 - More typically, a simpler, more efficient storage system is used due to huge numbers of documents

Indexing Process



Parser

- Processing the sequence of text tokens in the document to recognize structural elements
 - e.g., titles, links, headings, etc.
- Tokenizer recognizes "words" in the text
 - must consider issues like capitalization, hyphens, apostrophes, non-alpha characters, separators
- Markup languages such as HTML, XML often used to specify structure
 - Tags used to specify document elements
 - E.g., <h2> Overview </h2>
 - Document parser uses syntax of markup language (or other formatting) to identify structure

Stopping

- Remove common words
 - e.g., "and", "or", "the", "in"
- Some impact on efficiency and effectiveness
- Can be a problem for some queries

Stemming

- Group words derived from a common stem
 - e.g., "computer", "computers", "computing", "compute"
- Usually effective, but not for all queries
- Benefits vary for different languages

- Link Analysis
 - Makes use of *links* and *anchor text* in web pages
 - Link analysis identifies popularity and community information
 - e.g., PageRank
 - Anchor text can significantly enhance the representation of pages pointed to by links
 - Significant impact on web search
 - Less importance in other applications


Information Extraction

- Identify classes of index terms that are important for some applications
- Named entity recognizers identify classes such as people, locations, companies, dates, etc.
- Other parsers for business addresses, event information, job postings, etc.

Classifier

- Identifies class-related metadata for documents
 - i.e., assigns labels to documents
 - e.g., topics, reading levels, sentiment, genre
- Use depends on application

Indexing Process



Index Creation

- Document Statistics
 - Gathers counts and positions of words and other features
 - Used in ranking algorithm
- Weighting
 - Computes weights for index terms
 - Used in ranking algorithm
 - e.g., tf.idf weight
 - Combination of term frequency in document and inverse document frequency in the collection


Index Creation

- Inversion
 - Core of indexing process
 - Converts document-term information to termdocument for indexing
 - Difficult for very large numbers of documents
 - Format of inverted file is designed for fast query processing
 - Must also handle updates
 - Compression used for efficiency

Index Creation

- Index Distribution
 - Distributes indexes across multiple computers and/or multiple sites
 - Essential for fast query processing with large numbers of documents
 - Many variations
 - Document distribution, term distribution, replication
 - P2P and distributed IR involve search across multiple sites

Query Process



User Interaction

- Query input
 - Provides interface and parser for query language
 - Most web queries are very simple, other applications may use forms
 - Query language used to describe more complex queries and results of query transformation
 - e.g., Boolean queries, Indri and Galago query languages
 - similar to SQL language used in database applications
 - IR query languages also allow content and structure specifications, but focus on content


User Interaction

- Query transformation
 - Improves initial query, both before and after initial search
 - Includes text transformation techniques used for documents
 - Spell checking and query suggestion provide alternatives to original query
 - Query expansion and relevance feedback modify the original query with additional terms

User Interaction

- Results output
 - Constructs the display of ranked documents for a query
 - Generates snippets to show how queries match documents
 - Highlights important words and passages
 - Retrieves appropriate advertising in many applications
 - May provide *clustering* and other visualization tools

Query Process




Ranking

- Scoring
 - Calculates scores for documents using a ranking algorithm
 - Core component of search engine
 - Basic form of score is $\sum q_i d_i$
 - q_i and d_i are query and document term weights for term i
 - Many variations of ranking algorithms and retrieval models

Ranking

- Performance optimization
 - Designing ranking algorithms for efficient processing
 - Term-at-a time vs. document-at-a-time processing
 - Safe vs. unsafe optimizations
- Distribution
 - Processing queries in a distributed environment
 - Query broker distributes queries and assembles results
 - Caching is a form of distributed searching

Query Process



Evaluation

- Logging
 - Logging user queries and interaction is crucial for improving search effectiveness and efficiency
 - Query logs and clickthrough data used for query suggestion, spell checking, query caching, ranking, advertising search, and other components
- Ranking analysis
 - Measuring and tuning ranking effectiveness
- Performance analysis
 - Measuring and tuning system efficiency

How Does It *Really* Work?

- This course explains these components of a search engine in more detail
- Often many possible approaches and techniques for a given component
 - Focus is on the most important alternatives
 - i.e., explain a small number of approaches in detail rather than many approaches
 - "Importance" based on research results and use in actual search engines
 - Follow up references in text for alternatives

Topics

- Overview
- Architecture of a search engine
- Data acquisition
- Text representation
- Information extraction
- Indexing
- Query processing
- Ranking
- Evaluation
- Classification and clustering
- Social search
- More...

Topics

- For background read:
 - Search Engines chapter 3, or
 - Intro to IR, chapters 19 and 20

Exercise

- Write down 2 queries for a web search engine, each between 1 and 5 words.
- **Before** you run the queries, write down what you expect to find.
- Run these queries on 2 search engines and compare the top 10 results.
- How are the search engines different?
- What criteria did you use?