



NORTHEASTERN UNIVERSITY, KHOURY COLLEGE OF COMPUTER SCIENCE

CS 6220 Data Mining — Assignment 2

Due: September 26, 2023(100 points)

YOUR NAME
YOUR GIT USERNAME
YOUR E-MAIL

Frequent Itemsets

Consider the following set of frequent 3-itemsets:

$\{1, 2, 3\}, \{1, 2, 4\}, \{1, 2, 5\}, \{1, 3, 4\},$
 $\{2, 3, 4\}, \{2, 3, 5\}, \{3, 4, 5\}.$

Assume that there are only five items in the data set. This question was taken from [Tan et al.](#), which may help in reviewing Candidate Generation.

1. List all candidate 4-itemsets obtained by a candidate generation procedure using the $F_{k-1} \times F_1$ merging strategy.
2. List all candidate 4-itemsets obtained by the candidate generation procedure in A Priori, using $F_{k-1} \times F_{k-1}$.
3. List all candidate 4-itemsets that survive the candidate pruning step of the Apriori algorithm.

Association Rules

Consider the following table for question 4:

Transaction ID	Items
1	{Beer, Diapers}
2	{Milk, Diapers, Bread, Butter}
3	{Milk, Diapers, Cookies}
4	{Bread, Butter, Cookies}
5	{Milk, Beer, Diapers, Eggs}
6	{Beer, Cookies, Diapers}
7	{Milk, Diapers, Bread, Butter}
8	{Bread, Butter, Diapers}
9	{Bread, Butter, Milk}
10	{Beer, Butter, Cookies}

4.
 - a) What is the maximum number of association rules that can be extracted from this data (including rules that have zero support)?
 - b) What is the confidence of the rule $\{\text{Milk, Diapers}\} \Rightarrow \{\text{Butter}\}$?
 - c) What is the support for the rule $\{\text{Milk, Diapers}\} \Rightarrow \{\text{Butter}\}$?
5. True or False with an explanation: Given that $\{a,b,c,d\}$ is a frequent itemset, $\{a,b\}$ is always a frequent itemset.
6. True or False with an explanation: Given that $\{a,b\}$, $\{b,c\}$ and $\{a,c\}$ are frequent itemsets, $\{a,b,c\}$ is always frequent.
7. True or False with an explanation: Given that the support of $\{a,b\}$ is 20 and the support of $\{b,c\}$ is 30, the support of $\{b\}$ is larger than 20 but smaller than 30.
8. True or False with an explanation: In a dataset that has 5 items, the maximum number of size-2 frequent itemsets that can be extracted (assuming $\text{minsup} > 0$) is 20.
9. Draw the itemset lattice for the set of unique items $\mathcal{I} = \{a, b, c\}$.